DON'T S	DATE: July 31, 2003
TO: File	FROM: J. L. Westcott 13/03 T4-04
	Telephone: (509) 373-9800
cc:	
SUBJECT:	Agency Comments with Resolutions on DOE/RL -2002-66 Work Plan for Disposition of 183-H Solar Evaporation Basin Mixed Waste

Attached are comments received from Agency personnel reviewing the draft document DOE/RL-2002-66, Removal Action Work Plan for Disposition of Mixed Waste from the 183-H Solar Evaporation Basins. Resolution to the comments are also provided in the attachment.

Attachment: Work Plan Comments with Resolutions



Work Plan Comments with Resolutions

2 Pages including cover

Agency personnel comments on the draft document DOE/RL-2002-66, Removal Action Work Plan for Disposition of Mixed Waste from the 183-H Solar Evaporation Basins.

R. F. Guercia of US Department of Energy comments:

1. pg 1: last line: isn't the TPA 1988 vs 1998

Resolution: The 1998 date is correct, no change to the document.

2. PG 2, SECTION 1.3: CWC IS NOR PERMITTED; IT IS INTERIM STATUS

Resolution: Text will be changed as requested.

3. pg 6: 3.2.1, second bullet. Delete (Docs online). Even though I know that is the correct term, it is online only inside the firewall and could confuse anyone in the public who might read it.

Resolution: Text will be deleted as requested.

- D. R. Einan of US Environmental Protection Agency comments:
- 1. Page 1, last sentence: Add "CWC" after "The removal action takes place in ....."

Resolution: Text will be changed as requested.

2. Several places in document: Modify the document to reflect resolution of containerized free liquids as being compliant with disposal requirements of WAC 173-303-140(4)(b).

Resolution: Text will be changed as requested

- F. Jamison of Washington State Department of Ecology comments:
- 1. This looks good. To complete my review, I need to see the following document to make sure it matches up with treatment provisions in Action Memorandum and revised EE/CA: "Treatment Plan for 183-H Basin Waste Currently at Central Waste Complex" (cited as BHI 2003).

Resolution: Requested draft of document will be provided, no change to work plan.